


TRF03/1

HS | HW



Coltelli pialla da 3 mm in HS e HW - H 30 mm

HS and HW Planing knives of 3 mm - H 30 mm

Coltelli pialla di due qualità: HS per legni teneri, resinosi e di media durezza. Coltelli con riporti in HW per legni sabbiosi, duri e composti. Dimensioni: altezza 30 mm, spessore 3 mm.

Planing knives in quality HS or Tungsten Carbide tipped, height 30 mm and thickness 3 mm.

Altezza del coltello | Knife height: 30 mm

TRF03.HS30

HS

L [mm]	H [mm]	S [mm]	Code	Disp./Avail.
60	30	3,0	TRF03.HS30.0060	●
80	30	3,0	TRF03.HS30.0080	●
100	30	3,0	TRF03.HS30.0100	●
110	30	3,0	TRF03.HS30.0110	●
120	30	3,0	TRF03.HS30.0120	●
130	30	3,0	TRF03.HS30.0130	●
150	30	3,0	TRF03.HS30.0150	●
160	30	3,0	TRF03.HS30.0160	●
170	30	3,0	TRF03.HS30.0170	●
180	30	3,0	TRF03.HS30.0180	●
210	30	3,0	TRF03.HS30.0210	●
230	30	3,0	TRF03.HS30.0230	●
240	30	3,0	TRF03.HS30.0240	●
260	30	3,0	TRF03.HS30.0260	●
300	30	3,0	TRF03.HS30.0300	●
310	30	3,0	TRF03.HS30.0310	●
350	30	3,0	TRF03.HS30.0350	●
400	30	3,0	TRF03.HS30.0400	●
410	30	3,0	TRF03.HS30.0410	●
500	30	3,0	TRF03.HS30.0500	●
510	30	3,0	TRF03.HS30.0510	●
520	30	3,0	TRF03.HS30.0520	●
530	30	3,0	TRF03.HS30.0530	●
600	30	3,0	TRF03.HS30.0600	●
610	30	3,0	TRF03.HS30.0610	●
630	30	3,0	TRF03.HS30.0630	●
640	30	3,0	TRF03.HS30.0640	●
710	30	3,0	TRF03.HS30.0710	●
810	30	3,0	TRF03.HS30.0810	●
820	30	3,0	TRF03.HS30.0820	●
1050	30	3,0	TRF03.HS30.1050	●


TRF03.HW30

HW

60	30	3,0	TRF03.HW30.0060	●
80	30	3,0	TRF03.HW30.0080	●
100	30	3,0	TRF03.HW30.0100	●
110	30	3,0	TRF03.HW30.0110	●
120	30	3,0	TRF03.HW30.0120	●
130	30	3,0	TRF03.HW30.0130	●
150	30	3,0	TRF03.HW30.0150	●
160	30	3,0	TRF03.HW30.0160	●
180	30	3,0	TRF03.HW30.0180	●
190	30	3,0	TRF03.HW30.0190	●
210	30	3,0	TRF03.HW30.0210	●
230	30	3,0	TRF03.HW30.0230	●
240	30	3,0	TRF03.HW30.0240	●
250	30	3,0	TRF03.HW30.0250	●
260	30	3,0	TRF03.HW30.0260	●
310	30	3,0	TRF03.HW30.0310	●

TRF03/2

HS | HW



Coltelli pialla da 3 mm in HS e HW - H 35 mm

HS and HW Planing knives of 3 mm - H 35 mm

Coltelli pialla di due qualità: HS per legni teneri, resinosi e di media durezza. Coltelli con riporti in HW per legni sabbiosi, duri e composti. Dimensioni: altezza 35 mm, spessore 3 mm.

Planing knives in quality HS or Tungsten Carbide tipped, height 35 mm and thickness 3 mm.

Altezza del coltello | Knife height: 35 mm

TRF03.HS35

HS

L [mm]	H [mm]	S [mm]	Code	Disp./Avail.
60	35	3,0	TRF03.HS35.0060	●
80	35	3,0	TRF03.HS35.0080	●
100	35	3,0	TRF03.HS35.0100	●
110	35	3,0	TRF03.HS35.0110	●
120	35	3,0	TRF03.HS35.0120	●
130	35	3,0	TRF03.HS35.0130	●
150	35	3,0	TRF03.HS35.0150	●
160	35	3,0	TRF03.HS35.0160	●
170	35	3,0	TRF03.HS35.0170	●
180	35	3,0	TRF03.HS35.0180	●
210	35	3,0	TRF03.HS35.0210	●
230	35	3,0	TRF03.HS35.0230	●
240	35	3,0	TRF03.HS35.0240	●
260	35	3,0	TRF03.HS35.0260	●
300	35	3,0	TRF03.HS35.0300	●
310	35	3,0	TRF03.HS35.0310	●
350	35	3,0	TRF03.HS35.0350	●
400	35	3,0	TRF03.HS35.0400	●
410	35	3,0	TRF03.HS35.0410	●
500	35	3,0	TRF03.HS35.0500	●
510	35	3,0	TRF03.HS35.0510	●
520	35	3,0	TRF03.HS35.0520	●
530	35	3,0	TRF03.HS35.0530	●
600	35	3,0	TRF03.HS35.0600	●
610	35	3,0	TRF03.HS35.0610	●
630	35	3,0	TRF03.HS35.0630	●
640	35	3,0	TRF03.HS35.0640	●
710	35	3,0	TRF03.HS35.0710	●
810	35	3,0	TRF03.HS35.0810	●
820	35	3,0	TRF03.HS35.0820	●
1050	35	3,0	TRF03.HS35.1050	●


TRF03.HW35

HW

60	35	3,0	TRF03.HW35.0060	●
80	35	3,0	TRF03.HW35.0080	●
100	35	3,0	TRF03.HW35.0100	●
110	35	3,0	TRF03.HW35.0110	●
120	35	3,0	TRF03.HW35.0120	●
130	35	3,0	TRF03.HW35.0130	●
150	35	3,0	TRF03.HW35.0150	●
160	35	3,0	TRF03.HW35.0160	●
180	35	3,0	TRF03.HW35.0180	●
190	35	3,0	TRF03.HW35.0190	●
210	35	3,0	TRF03.HW35.0210	●
230	35	3,0	TRF03.HW35.0230	●
240	35	3,0	TRF03.HW35.0240	●
250	35	3,0	TRF03.HW35.0250	●
260	35	3,0	TRF03.HW35.0260	●
310	35	3,0	TRF03.HW35.0310	●

TRF03/3

Coltelli pialla da 3 mm in HS con HW riportato - H 30 mm HS/T.C.T Planing knives of 3 mm - H 30 mm



Coltelli pialla in HS con placchetta riportata in HW, altezza 30 mm e spessore 3 mm.


Planing knives in quality HS with Tungsten Carbide tipped, height 30 mm and thickness 3 mm.

L [mm]	H [mm]	S [mm]	Code	Disp./Avail.
60	30	3,0	TRF03.HM30.0060	●
80	30	3,0	TRF03.HM30.0080	●
100	30	3,0	TRF03.HM30.0100	●
110	30	3,0	TRF03.HM30.0110	●
120	30	3,0	TRF03.HM30.0120	●
130	30	3,0	TRF03.HM30.0130	●
150	30	3,0	TRF03.HM30.0150	●
160	30	3,0	TRF03.HM30.0160	●
170	30	3,0	TRF03.HM30.0170	●
180	30	3,0	TRF03.HM30.0180	●
200	30	3,0	TRF03.HM30.0200	●
210	30	3,0	TRF03.HM30.0210	●
230	30	3,0	TRF03.HM30.0230	●
240	30	3,0	TRF03.HM30.0240	●
250	30	3,0	TRF03.HM30.0250	●
260	30	3,0	TRF03.HM30.0260	●
270	30	3,0	TRF03.HM30.0270	●
300	30	3,0	TRF03.HM30.0300	●
310	30	3,0	TRF03.HM30.0310	●
330	30	3,0	TRF03.HM30.0330	●
350	30	3,0	TRF03.HM30.0350	●
400	30	3,0	TRF03.HM30.0400	●
410	30	3,0	TRF03.HM30.0410	●
500	30	3,0	TRF03.HM30.0500	●
510	30	3,0	TRF03.HM30.0510	●
520	30	3,0	TRF03.HM30.0520	●
530	30	3,0	TRF03.HM30.0530	●
600	30	3,0	TRF03.HM30.0600	●
610	30	3,0	TRF03.HM30.0610	●
630	30	3,0	TRF03.HM30.0630	●
640	30	3,0	TRF03.HM30.0640	●
680	30	3,0	TRF03.HM30.0680	●
710	30	3,0	TRF03.HM30.0710	●
810	30	3,0	TRF03.HM30.0810	●
820	30	3,0	TRF03.HM30.0820	●
1010	30	3,0	TRF03.HM30.1010	●
1050	30	3,0	TRF03.HM30.1050	●

TRF03/4

HS | T.C.T.

H 35 mm




Coltelli pialla da 3 mm in HS con HW riportato - H 35 mm HS/T.C.T Planing knives of 3 mm - H 35 mm

Coltelli pialla in HS con placchetta riportata in HW, altezza 35 mm e spessore 3 mm.

Planing knives in quality HS with Tungsten Carbide tipped, height 35 mm and thickness 3 mm.

L [mm]	H [mm]	S [mm]	Code	Disp./Avail.
60	35	3,0	TRF03.HM35.0060	●
80	35	3,0	TRF03.HM35.0080	●
100	35	3,0	TRF03.HM35.0100	●
110	35	3,0	TRF03.HM35.0110	●
120	35	3,0	TRF03.HM35.0120	●
130	35	3,0	TRF03.HM35.0130	●
150	35	3,0	TRF03.HM35.0150	●
160	35	3,0	TRF03.HM35.0160	●
170	35	3,0	TRF03.HM35.0170	●
180	35	3,0	TRF03.HM35.0180	●
200	35	3,0	TRF03.HM35.0200	●
210	35	3,0	TRF03.HM35.0210	●
230	35	3,0	TRF03.HM35.0230	●
240	35	3,0	TRF03.HM35.0240	●
250	35	3,0	TRF03.HM35.0250	●
260	35	3,0	TRF03.HM35.0260	●
270	35	3,0	TRF03.HM35.0270	●
300	35	3,0	TRF03.HM35.0300	●
310	35	3,0	TRF03.HM35.0310	●
330	35	3,0	TRF03.HM35.0330	●
350	35	3,0	TRF03.HM35.0350	●
400	35	3,0	TRF03.HM35.0400	●
410	35	3,0	TRF03.HM35.0410	●
500	35	3,0	TRF03.HM35.0500	●
510	35	3,0	TRF03.HM35.0510	●
520	35	3,0	TRF03.HM35.0520	●
530	35	3,0	TRF03.HM35.0530	●
600	35	3,0	TRF03.HM35.0600	●
610	35	3,0	TRF03.HM35.0610	●
630	35	3,0	TRF03.HM35.0630	●
640	35	3,0	TRF03.HM35.0640	●
680	35	3,0	TRF03.HM35.0680	●
710	35	3,0	TRF03.HM35.0710	●
810	35	3,0	TRF03.HM35.0810	●
820	35	3,0	TRF03.HM35.0820	●
1010	35	3,0	TRF03.HM35.1010	●
1050	35	3,0	TRF03.HM35.1050	●

TRF03/5



Coltelli pialla Splanâ™ in HS e HW da 2,2 mm - H 14 mm

Splanâ™ Planing knives in HS and HW of 2,2 mm - H 14 mm

Coltelli reversibili intercambiabili in HS, adatti a lavorare legni teneri e in HW, adatti a lavorare legni duri, abrasivi, truciolari e composti.

Disponibili su richiesta con rivestimento **NaDia** - DLC.

Reversible planing knives in HS, suitable for working on solid wood and in HW, suitable for working on soft and hardwood, abrasive, chipboards and composite.

*Available on request with **NaDia** coating DLC.*

TRF03.HS14 | HS

L [mm]	H [mm]	S [mm]	Code	Disp./Avail.
80	14	2,2	TRF03.HS14.0080	●
100	14	2,2	TRF03.HS14.0100	●
120	14	2,2	TRF03.HS14.0120	●
130	14	2,2	TRF03.HS14.0130	●
150	14	2,2	TRF03.HS14.0150	●
160	14	2,2	TRF03.HS14.0160	●
170	14	2,2	TRF03.HS14.0170	●
180	14	2,2	TRF03.HS14.0180	●
190	14	2,2	TRF03.HS14.0190	●
230	14	2,2	TRF03.HS14.0230	●
240	14	2,2	TRF03.HS14.0240	●
250	14	2,2	TRF03.HS14.0250	●

TRF03.HW14 | HW

80	14	2,2	TRF03.HW14.0080	●
100	14	2,2	TRF03.HW14.0100	●
120	14	2,2	TRF03.HW14.0120	●
130	14	2,2	TRF03.HW14.0130	●
150	14	2,2	TRF03.HW14.0150	●
160	14	2,2	TRF03.HW14.0160	●
170	14	2,2	TRF03.HW14.0170	●
180	14	2,2	TRF03.HW14.0180	●
190	14	2,2	TRF03.HW14.0190	●
230	14	2,2	TRF03.HW14.0230	●
240	14	2,2	TRF03.HW14.0240	●
250	14	2,2	TRF03.HW14.0250	●

TRF03/6



Coltelli pialla Bulldozer™ in HW da 1,8 mm - H 13,6 mm

Bulldozer™ Planing knives in HW of 1,8 mm - H 13,6 mm

Coltelli reversibili intercambiabili in HW adatti a lavorare legni teneri, duri, abrasivi, truciolari e composti.

Disponibili su richiesta con rivestimento **NaDia** - DLC.

Reversible planing knives in HW suitable for working on solid and hardwood, abrasive, chipboards and composite wood.


*Available on request with **NaDia** coating DLC.*

TRF03.HW13 | HW

L [mm]	H [mm]	S [mm]	Code	Disp./Avail.
60	13,6	1,8	TRF03.HW13.0060	●
70	13,6	1,8	TRF03.HW13.0070	●
80	13,6	1,8	TRF03.HW13.0080	●
100	13,6	1,8	TRF03.HW13.0100	●
110	13,6	1,8	TRF03.HW13.0110	●
120	13,6	1,8	TRF03.HW13.0120	●
130	13,6	1,8	TRF03.HW13.0130	●
140	13,6	1,8	TRF03.HW13.0140	●
150	13,6	1,8	TRF03.HW13.0150	●
160	13,6	1,8	TRF03.HW13.0160	●
180	13,6	1,8	TRF03.HW13.0180	●
190	13,6	1,8	TRF03.HW13.0190	●
200	13,6	1,8	TRF03.HW13.0200	●
220	13,6	1,8	TRF03.HW13.0220	●
230	13,6	1,8	TRF03.HW13.0230	●
240	13,6	1,8	TRF03.HW13.0240	●
250	13,6	1,8	TRF03.HW13.0250	●
260	13,6	1,8	TRF03.HW13.0260	●

TRF03/7

HS | HW



Coltelli pialla RABÒT™ in HS 18% e HW da 3,0 mm - H 16,0 mm RABÒT™ Planing knives in HS 18% and HW of 3,0 mm - H 16,0 mm

Coltelli reversibili intercambiabili in HS, adatti a lavorare legni teneri e in HW, adatti a lavorare legni duri, abrasivi, truciolari e composti. Coltelli tipo Centrolock.
Disponibili su richiesta con rivestimento **NaDia** - DLC.

Reversible planing knives in HS, suitable for working on solid wood and in HW, suitable for working on soft and hardwood, abrasive, chipboards and composite. Centrolock type knives.

*Available on request with **NaDia** coating DLC.*

TRF03.HS16

HS

L [mm]	H [mm]	S [mm]	Code	Disp./Avail.
60	16	3,0	TRF03.HS16.0060	●
80	16	3,0	TRF03.HS16.0080	●
100	16	3,0	TRF03.HS16.0100	●
130	16	3,0	TRF03.HS16.0130	●
150	16	3,0	TRF03.HS16.0150	●
160	16	3,0	TRF03.HS16.0160	●
180	16	3,0	TRF03.HS16.0180	●
190	16	3,0	TRF03.HS16.0190	●
220	16	3,0	TRF03.HS16.0220	●
230	16	3,0	TRF03.HS16.0230	●
240	16	3,0	TRF03.HS16.0240	●
260	16	3,0	TRF03.HS16.0260	●
270	16	3,0	TRF03.HS16.0270	●
300	16	3,0	TRF03.HS16.0300	●
310	16	3,0	TRF03.HS16.0310	●
460	16	3,0	TRF03.HS16.0460	●
650	16	3,0	TRF03.HS16.0650	●
710	16	3,0	TRF03.HS16.0710	●
810	16	3,0	TRF03.HS16.0810	●
1050	16	3,0	TRF03.HS16.1050	●

TRF03.HW16

HW

L [mm]	H [mm]	S [mm]	Code	Disp./Avail.
60	16	3,0	TRF03.HW16.0060	●
80	16	3,0	TRF03.HW16.0080	●
100	16	3,0	TRF03.HW16.0100	●
130	16	3,0	TRF03.HW16.0130	●
150	16	3,0	TRF03.HW16.0150	●
160	16	3,0	TRF03.HW16.0160	●
180	16	3,0	TRF03.HW16.0180	●
190	16	3,0	TRF03.HW16.0190	●
220	16	3,0	TRF03.HW16.0220	●
230	16	3,0	TRF03.HW16.0230	●
240	16	3,0	TRF03.HW16.0240	●
260	16	3,0	TRF03.HW16.0260	●
270	16	3,0	TRF03.HW16.0270	●
300	16	3,0	TRF03.HW16.0300	●
310	16	3,0	TRF03.HW16.0310	●
460	16	3,0	TRF03.HW16.0460	●
650	16	3,0	TRF03.HW16.0650	●


TRF04/1

HS



Profondità del profilo:
Profile depths:

h mm	T max mm
50	15
60	25
70	35



Coltelli piaffa non profilati zigrinati in HS da 8 mm

HS Serrated back knives of 8 mm

Coltelli in HS non profilati da 8 mm di spessore e zigrinati sul dorso (millerighe).

Unprofiled serrated back knives HS M2, 8 mm thickness.

Prezzo dei coltelli in HW su richiesta

Prices for TCT knives on request

TRF04.H50

HS

L [mm]	H [mm]	S [mm]	Code	Disp./Avail.
40	50	8	TRF04.HS50.0040	●
50	50	8	TRF04.HS50.0050	●
60	50	8	TRF04.HS50.0060	●
70	50	8	TRF04.HS50.0070	●
80	50	8	TRF04.HS50.0080	●
90	50	8	TRF04.HS50.0090	●
100	50	8	TRF04.HS50.0100	●
110	50	8	TRF04.HS50.0110	●
120	50	8	TRF04.HS50.0120	●
130	50	8	TRF04.HS50.0130	●
150	50	8	TRF04.HS50.0150	●
170	50	8	TRF04.HS50.0170	●
180	50	8	TRF04.HS50.0180	●
200	50	8	TRF04.HS50.0200	●
210	50	8	TRF04.HS50.0210	●
230	50	8	TRF04.HS50.0230	●
260	50	8	TRF04.HS50.0260	●
650	50	8	TRF04.HS50.0650	●

TRF04.H60

HS

40	60	8	TRF04.HS60.0040	●
50	60	8	TRF04.HS60.0050	●
60	60	8	TRF04.HS60.0060	●
70	60	8	TRF04.HS60.0070	●
80	60	8	TRF04.HS60.0080	●
90	60	8	TRF04.HS60.0090	●
100	60	8	TRF04.HS60.0100	●
110	60	8	TRF04.HS60.0110	●
120	60	8	TRF04.HS60.0120	●
130	60	8	TRF04.HS60.0130	●
150	60	8	TRF04.HS60.0150	●
170	60	8	TRF04.HS60.0170	●
180	60	8	TRF04.HS60.0180	●
200	60	8	TRF04.HS60.0200	●
210	60	8	TRF04.HS60.0210	●
230	60	8	TRF04.HS60.0230	●
260	60	8	TRF04.HS60.0260	●
650	60	8	TRF04.HS60.0650	●

TRF04.H70

HS

40	70	8	TRF04.HS70.0040	●
50	70	8	TRF04.HS70.0050	●
60	70	8	TRF04.HS70.0060	●
70	70	8	TRF04.HS70.0070	●
80	70	8	TRF04.HS70.0080	●
90	70	8	TRF04.HS70.0090	●
100	70	8	TRF04.HS70.0100	●
110	70	8	TRF04.HS70.0110	●
120	70	8	TRF04.HS70.0120	●
130	70	8	TRF04.HS70.0130	●
150	70	8	TRF04.HS70.0150	●
170	70	8	TRF04.HS70.0170	●
180	70	8	TRF04.HS70.0180	●
200	70	8	TRF04.HS70.0200	●
210	70	8	TRF04.HS70.0210	●
230	70	8	TRF04.HS70.0230	●
260	70	8	TRF04.HS70.0260	●
650	70	8	TRF04.HS70.0650	●